

**Chemcoat, Inc.**  
**"Consistent Coatings...Superior Service"**

PO Box 188, Montoursville PA 17754  
800-326-9471

**SAFETY DATA SHEET**

**Section 1 - Chemical Product and Company Information**

Product Name: WaterBlox II Product Code: 80H-061A

Manufactured by:

IN CASE OF EMERGENCY:

Chemcoat Inc.  
P.O. Box 188  
2790 Canfield Lane  
Montoursville, PA 17754

Chem-tel:  
800-255-3924

General information:  
800-326-9471

Product Use: For Industrial Use

**Section 2 - Hazards Identification**

**GHS Ratings:**

**GHS Hazards**

H303 May be harmful if swallowed  
H320 Causes eye irritation

**GHS Precautions**

P102 Keep out of reach of children  
P281 Use personal protective equipment as required  
P350 Gently wash with soap and water  
P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

**Signal Word: Warning**



### Section 3 - Composition / Information on Ingredients

**Note:** this product may contain pigments such as mineral silicates, silicone dioxide or titanium dioxide, which are not hazardous in wet paint. They may reach hazardous levels in dusts generated from sanding or grinding of dried paint.

Chemical Name	CAS number	Weight Concentration %

### Section 4 - First Aid Measures

**INHALATION** - Move person to fresh air. If breathing has stopped, administer artificial respiration. Seek medical attention!

**EYE CONTACT** - In case of eye contact, flush the eyes with water for fifteen (15) minutes. If contact lenses are worn, quickly remove them, then flush the eyes with water. Have a physician examine the eyes.

**SKIN CONTACT** - In case of skin contact, remove contaminated clothing. Flush the skin with large amounts of water, then wash the skin with soap and water.

**INGESTION** - Do not induce vomiting. This may cause chemical pneumonitis and pulmonary edema. If vomiting occurs spontaneously, keep the head below the hips to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

### Section 5 - Fire Fighting Measures

Flash Point: > 100 C (>212 F)

LEL:

UEL:

**Extinguishing Media:** Use carbon dioxide (CO<sub>2</sub>), foam, dry chemical, or water spray/water fog extinguishing system.

**Unusual Fire and Explosion Hazards:** Vapors may travel considerable distance by air and become ignited by ignition sources.

**Hazardous Combustion Products:** Oxides of carbon

**Fire Fighting Instructions:** Full protective equipment including self contained breathing apparatus should be used.

**Fire Equipment:** Water spray may not be effective, use fog nozzles

### Section 6 - Accidental Release Measures

**Spill and Leak Procedure:** Eliminate all ignition sources. Ventilate the area. Use appropriate respirator and protective clothing.

**Small Spills:** Contain spill areas with dikes. Recover spilled material into containers. Absorb remainder with absorbent material.

**Large Spills:** If small spill measures do not contain the spill, notify local authorities and/or the fire department.

### Section 7 - Handling and Storage

**Handling:** Avoid prolonged breathing or contact with product. Keep containers closed when not in use. Do not cut, drill, grind, or weld near containers even when empty. Use non-sparking tools when working around this material.

**Storage Requirements:** Protect from freezing. Keep containers closed when not in use. Keep away from excessive heat, open flames, or sparks.

**Regulatory Requirements:** Consult national, state and local environmental laws.

## Section 8 - Exposure Controls / Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
	Not Established	Not Established	Not Established

**Ventilation:** Exhaust as required to keep exposure below Threshold Limit Values

**Protective Gear:** If ventilation equipment cannot control exposures below the TLV's, wear a properly fitted organic/particulate NIOSH/MSHA approved respirator. Wear rubber or neoprene protective gloves for repeated or prolonged skin contact. Wear safety glasses or face shield for eye protection.

## Section 9 - Physical and Chemical Properties

<p style="text-align: center;"><b>Physical State</b> Liquid</p> <p style="text-align: center;"><b>Vapor Pressure:</b> N/A</p> <p style="text-align: center;"><b>Density:</b> 1.01</p> <p style="text-align: center;"><b>Solvent based product</b> N/A</p> <p style="text-align: center;"><b>freezing point</b></p> <p style="text-align: center;"><b>Boiling range:</b> 100°C</p> <p style="text-align: center;"><b>Evaporation rate:</b> Slower than ether</p> <p style="text-align: center;"><b>Lbs VOC/Gallon Solids</b> 0.00</p> <p style="text-align: center;"><b>g/l VOC Less Exempt Less</b> 0.00</p> <p style="text-align: center;"><b>Water</b></p> <p style="text-align: center;"><b>% wt exempt</b> 0.00</p> <p style="text-align: center;"><b>% Weight Solids</b> 2.62</p> <p style="text-align: center;"><b>lbs/gal VOC as supplied</b> 0.00</p>	<p style="text-align: center;"><b>Odor:</b> paint</p> <p style="text-align: center;"><b>Vapor Density:</b> N/A</p> <p style="text-align: center;"><b>Formula Lb / Gal</b> 8.44</p> <p style="text-align: center;"><b>Water based product</b> 32 F</p> <p style="text-align: center;"><b>freezing point</b></p> <p style="text-align: center;"><b>Flash point:</b> 212°F, 100°C</p> <p style="text-align: center;"><b>Explosive Limits:</b> N/A</p> <p style="text-align: center;"><b>Lbs/Gal VOC Less</b> 0.00</p> <p style="text-align: center;"><b>H2O+Exempt</b></p> <p style="text-align: center;"><b>Percent Weight Water</b> 97.38</p> <p style="text-align: center;"><b>% Organic Sovent</b> 0.00</p> <p style="text-align: center;"><b>% Volume Solids</b> 1.28</p>
---	---

## Section 10 - Stability and Reactivity

**Stability:**

STABLE

**Incompatibility:** Strong acids or bases.

None

**Hazardous Decomposition:** Oxides of carbon and nitrogen.

None  
Hazardous polymerization will not occur.

## Section 11 - Toxicological Information

**Mixture Toxicity**

Routes of Entry:  
Ingestion

Exposure to this material may affect the following organs:  
None

**Effects of Overexposure**

**Carcinogenicity:** The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential

carcinogens by NTP, IARC, OSHA, or ACGIH.

## Section 12 - Ecological Information

**Ecotoxicity:** Protect environment from spills and releases.

## Section 13 - Disposal Considerations

**Disposal:** As the US EPA, state, local or other regulatory agency may have jurisdiction over the disposal of your facility's waste, it is incumbent on you, to learn and satisfy all the regulations which effect you. Dispose of in accordance to government regulations. Destroy by liquid incineration by certified environmental service group.

## Section 14 - Transport Information

Protect from freezing.

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT	Paint related	Not req*		Not reg**
	*- Not required			
	** - Not regulated			

## Section 15 - Regulatory Information

Additional regulatory listings where applicable

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
----------------	-------------------	------------------------------

### EU Risk Phrases

### Safety Phrase

Toxic Substances Control Act (TSCA): All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

## Section 16 - Other Information

### Hazardous Material Information System (HMIS)

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

### HMIS & NFPA Hazard Rating

#### Legend

\* = Chronic Health Hazard


0 = INSIGNIFICANT

1 = SLIGHT

2 = MODERATE

3 = HIGH

### National Fire Protection Association (NFPA)



Every effort has been made to ensure that the safety information on this sheet is accurate, but because Chemcoat, Inc. has no control over the condition under which the product will be used, liability is limited exclusively to replacement or refund of the purchased price of this product. Except as stated herein, there are NO EXPRESS OR IMPLIED WARRANTIES INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Chemcoat, Inc. assumes no liability for injury or incidental or consequential damages arising out of the storage and handling or use of this product.

Date Prepared: 2/20/2018